

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/336761130>

Weather Engineering and its Undesirable Side Effects on the Environment, Natural Resources, Agriculture and Human Health

Article · June 2019

DOI: 10.31080/ASAG.2019.03.0543

CITATIONS

5

READS

3,026

1 author:



Monir Mohamed El-Hussieni

Cairo University

61 PUBLICATIONS 270 CITATIONS

SEE PROFILE

Some of the authors of this publication are also working on these related projects:



Increasing the attractiveness of crop plants to natural enemies with the use of plant defence activators [View project](#)



Natural enemies of certain economic pests in Egypt [View project](#)



Weather Engineering and its Undesirable Side Effects on the Environment, Natural Resources, Agriculture and Human Health

Monir MM El Hussein*

Professor of Environmental Protection, Faculty of Agriculture, Cairo University, Egypt

***Corresponding Author:** Monir MM El Hussein, Professor of Environmental Protection, Faculty of Agriculture, Cairo University, Egypt.

Received: April 18, 2019; **Published:** June 24, 2019

DOI: 10.31080/ASAG.2019.03.0543

Abstract

Weather engineering scientists developed a new chemtrail technology applied by jets in the stratosphere for decreasing the global warming. It is based on building synthetic chemical clouds of aluminum oxide as Welsbach particles to reflect the heat coming from the sun back in the upper atmosphere, and thus cooling the air on earth. The applied aerosol mixture contains also nanoparticles of barium monoxide which react with CO₂ when reaching the troposphere turning into barium carbonate and bicarbonate leading to minimization of its content in the atmosphere on the long run. In 2000, the UN approved the first global weather engineering project in the history of mankind to combat the global warming by chemtrail technology for the period from 2000 to 2050 with a budget of US \$ 50 billion (\$ 1 bill/year) financed and completely managed by USA alone. Since the application took place on the global level, climatologists, biologists, agronomists, and medical institutions around the globe recorded and explained undesirable side effects of this technology with severe impact on the weather, natural resources of flora and fauna as well as on human health. These effects could be summarized in the following: 1) Creation of completely new wind directions by induced air depressions. 2) Dehydration of certain ecosystems through the aluminum oxide. 3) Charging giant air electric fields leading to more lightning that induced wild fires in dehydrated forests and range land. 4) Increasing frequency and empowering the natural disasters by seeding air with precipitation nuclei causing floods. 5) Cooling upper air layers over warm water causing hurricanes, tornadoes, and building heavy snow and hail. 6) Decreasing air visibility due to suspended chemtrail particles in the air. 7) Causing health problems with allergic symptoms to chemicals and components of its aerosol. 8) Creation of extreme killer heat waves when reflecting heat back to earth by aluminum oxide. 9) Increasing human mortality in proportion to decreased air visibility, and 10) Increasing risk with calcification diseases caused by the stratospheric Nanobacteria carried down to earth on the chemtrail particles.

Keywords: Weather Engineering; Chemtrail Technology; Global Warming; Side Effects; Environment; Natural Resources, and Human Health

Introduction

In the last two decades, investigators and researchers around the globe have been hardly searching for solutions to decrease the "Global Warming Phenomenon" or "Greenhouse Warming". International agreements has been signed to reach this goal among a decade or more, e.g. the "Kyoto Protocol" signed 1997 in Japan by nearly all countries except 5 ones including USA and Russia due to high costs for decreasing emission of CO₂ (carbon cutback) resulting mostly from burning energy material, i.e., fossil fuel and charcoal. In 1991, the climatologists David Shang and I Fu

Chii working in the Hughes Aircraft Line Company (now Hughes Aerospace Company) in the USA patented a chemical solution for decreasing the global warming depending on the aluminum oxide formed in nanoparticles (Welsbach particles) that can reflect about 2% of the sun heat back in the space when seeded by jets in the stratosphere (patent USA # 5003186, 1991). In a special international meeting under the umbrella of the United Nations in 2000, the USA presented the positive results recorded after application of this geoengineering technique over the entire continent during the period from 1991 to 2000 that decreased the warming by 70-

80% [1]. Then, USA offered the international community a global project “The Shield Project” that priced the aerial spray program at US \$ 1 billion dollars a year for 50 years (2000-2050) without financial sharing of any country. The project was approved by the UN gathering after involving the WHO as many environmentalists were concerned with the side effects of such chemicals and other material of the sprayed aerosol on humans when settled from the stratosphere to the troposphere on earth. Different undesired climatic changes were recorded and explained as side effects for the global application of chemtrails at many parts of the world [1], e.g., creation of low pressure zones (depressions) in the atmosphere followed by new wind directions, strong hurricanes, heavy hail, rains and floods, heavy snow falls, avalanches, more lightning, ecosystem dehydration associated with wild fires, and decreased air visibility [2-4]. Moreover, in 2003, air samples collected by NASA from the stratosphere for different analyses [1], showed the presence of Nanobacteria; the causative agent of calcification diseases [5] that can attach to the sprayed aluminum oxide fine particles (Chemtrails) and settled with down to earth by gravity or rains. Thus, the risk of calcification diseases caused by these pathogenic bacteria, e.g., gallbladder and kidney stones, arteriosclerosis, calcification of heart valves and tooth plaque will be increased in humans as well as in animals.

Importance of geoengineering

It is obvious that the regulations, environmental laws and other stumbling blocks limit our ability to directly address the direct and immediate dangers that threaten life of mankind on the planet. Also the insufficiency of Kyoto’s emission reduction regime, the problems of absence, cost, and incentives, all cry out for an alternative to the present state of climate change policy.

The science of geoengineering founded by Nikola Tesla one century ago for manipulation and control of earth climatic factors, e.g., rains, winds, thunder and lightning, creation of low and high air pressure zones., *et al.* has moved from the pages of science fiction to respectable scientific journals (e.g., The International Journal of Geoengineering). The different technological methods of geoengineering depend mostly on application of certain chemical particles by planes or jets in the troposphere or stratosphere according to the desired targeted change in weather. The most common application of geoengineering is the artificial precipitation (rains) [6] either with warm or cold technology by spraying silver iodide and potassium perchlorate or spraying liquid nitrogen in the tropo-

sphere directly over the clouds using small airplanes mostly of the model King Air 200 (Figure 1). The sprayed chemical fine particles substitute the natural fine dust in the troposphere; where each particle acts as a precipitation nucleus on which the water vapor in the clouds condenses and proceeds quickly until drops of water/ or ice particles are formed and that cannot be suspended in the air; thus they fall down to earth by gravity in form of rains [7]. The just sprayed chemicals appear as a continuous in a hundred-kilometer white long trail or line behind the airplane and is called “Chemtrail” to differentiate it from the very short white line “Contrail” commonly seen like attached behind the jets flying in the stratosphere (at $-80C^{\circ}$); where it consists of fine water particles resulted from burning the fuel and turned into fine ice particles seen white in color by the reflected sun light and could be seen for about 15 to 30 seconds before disappearing.



Figure 1: King Air 200 airplanes with chemtrail sprayers (liquid nitrogen) fixed under wing commonly used for inducing artificial rains (cold precipitation).

Chemtrails for decreasing global warming

In 1991, the USA scientists David Shang and I Fu Chii received the approval for the patent USA # 5003186 entitled “Stratospheric Welsbach Seeding for Reduction of the Global Warming”. It depends on dispensing microscopic particles of aluminum oxide as reflective material (Welsbach particles) mixed with barium salts (monoxide) into the upper atmosphere (the stratosphere). Aluminum oxide reflects one or two percent of incoming sun heat and light back into the space, while barium monoxide reacts chemically with CO₂ in the troposphere turning into barium carbonate and bicarbonate, thus minimizing its content in the atmosphere. Continuous application of this technology among several decades will lead to significant decrease in global warming.

Computer simulations designed by Ken Caldeira at the military Lawrence Live more National Laboratories founded by Edward Teller (Father of the atom- and H-bomb of the Manhattan’s Proj-

ect) calculated that application of Shang and Chii's patent would be enough to stop warming over 85% of the planet. Lawrence Live more priced the aerial spray around the globe at US\$ 1 billion dollars/year, which is a cheap fix to maintain currently massive petroleum profits in the face of Kyoto's internationally agreed carbon cutbacks till reaching new alternative energy source(s). Live more's founder, Dr. Edward Teller, lobbied hard for the "Shield Project". At the 1998 International Seminar on Planetary Emergencies; he presented his Idea for reflective chemicals (Welsbach sizes) to be spread like mirror-shades over the earth into the stratosphere using jets (Figure 2). The chemicals, polymers and other components mixed in oil will be released from large nozzles just behind the jet engines where the powerful exhaust blows it in hundred or thousand kilometer long trails as seen in Figure 2.



Figure 2: Jet in the stratosphere spraying chemtrails of aluminum oxide (Welsbach particles) and barium salts in the stratosphere.

In 2000, The USA called for an international gathering for climatologists under the umbrella of the UN-Intergovernmental Panel on Climate Change (IPCC) to present the positive results gained from 1991-2000 in decreasing the air temperature over the entire USA by geoingeniering through seeding the stratosphere by Welsbach chemical particles (aluminum oxide and barium salts) according to the patent of Shang and Chii [8]. The "50-years Shield Project" of Edward Teller was presented and proposed as an effective global solution for the global warming phenomenon; and that the US\$ 50 billion dollars cost of the project are totally sponsored by the USA. The project included the international flight companies through contracts to provide the jets with the tanks and spraying system of the chemtrails. The satellites images will help the Project Control Center (PCC) located in the USA Ministry of Defense (Pen-

tagon) to give orders to the involved jets to release the chemtrails on their defined normal flight directions to cover the planet with this chemical shield to decrease the global warming.

As many of the participated environmentalists expressed their worries and concern from the possible side effects of such global chemical application in the atmosphere on human health, the World Health Organization (WHO) was engaged in the project to watch this aspect. And thus, the project was internationally approved and started the global application beginning over the Antarctic in 2000 to cool the air and to slower melting of the Ice Mountains.

In 2004, El-Husseini recorded the application of chemtrails reached the Mediterranean region and North Africa. The jets were seen leaving their white chemical trails extending from one side of the horizon to the other as watched over Egypt (Figure 3,4).



Figure 3: Sprayed chemtrails of the Shield Project seen over Cairo, Egypt, July 2004.



Figure 4: Sprayed chemtrails of the Shield Project seen at sunset over Cairo and Giza, Egypt, July 2004.

After a few hours, the sprayed chemtrails begin to disperse to both sides along the lines to form a thin dust long clouds that fuse gradually together (Figure 5), and later on build one giant cloud (Figure 6.) over the whole region extending over many countries reflecting the sun heat and light back into the space resulting a significant rapid decrease in the air temperature, e.g. in Egypt, the temperature decreased from 34 to 14C° at the 1st day 8 hours post application of chemtrails [9].



Figure 5: Diffusion of chemtrail stripes to reach each other forming a continuous cloud over thousand of km2, Red Sea, Egypt, July 2004.



Figure 6: A complete chemtrail cloud formed over Egypt, the trails could be identified in the cloud, Egypt, July 2004.

The existence and exercise of chemtrail spraying in the USA and the whole world has become well known in the last 10 years. It's kind of hard to miss [10]. The vast expense of the project indicates that there are many different aspects to it, as well as a total disregard for human health. Environmentalists and physicians identified and recorded 9 risks on existing resources of our planet and human health as potential unintended consequences or side effects for this first geoenvironmental global project in the history of mankind.

Potential consequences of applied chemtrail technology on weather, natural resources and human health

Creation of new wind directions

The sudden cooling of air leading to shrinkage of giant large air volumes over millions of km² creates a new low pressure zone [11]. This depression zone induces new wind direction which is completely new in history of the area. Such new wind directions created over the Mediterranean and north Africa carried swarms of the autumn generation of desert locust from west Africa to all eastern countries, e.g., to Morocco, Tunisia, Algeria, Libya, Egypt, Palestine, Jordan, Kingdom of Saudi Arabia and even to southern islands of Italy and Greece in autumn 2004 [9].

More lighting

Large electric fields are formed in the stratosphere by friction of the chemical particles when blazed by the strong exhaust of the jet engines. Settling down in the troposphere touching the ground surface, they mark ends of such electric fields. They could be discharged either naturally or by Radio Ultra Low Frequencies (RULF) or Radio Extreme Low Frequency (RELX); and the resulted lighting guided to end of the electric field at earth may cause more destruction in forests by fire [1,9], or killing people present in open fields as happened in Egypt in the last years [12].

Dehydration of the ecosystem

The sprayed aluminum oxide absorbs the air humidity in a chemical reaction turning into aluminum hydroxide. After few months of continuous application, the relative humidity (R.H.%) in the ecosystem decreased significantly [1]. At some days of summer in Egypt, it decreased to only 8-12% [9]. Dehydration and lighting resulted by chemtrails induce wild fires destroying forests, forages, and field crops as happened in Australia in 2008 [13]. In the USA, Rosenzweig, *et al.* [14] reported losses in agriculture due to the 2008 summer drought and wild fires by \$ 56 billion. Herndon [15] described and discussed the adverse consequences of the chemtrails on agriculture.

Empowering the natural disasters

Hurricanes (tropical storms/cyclones), tornados and flooding will be more frequent and strong (e.g. hurricanes Katrina 2005 and Sandy 2012 in USA). Presence of the chemtrail fine chemical particles in the air will act as nuclei for precipitation; when the natural clouds reach them, the process starts at once. The recent floods in the UK, European countries, USA, Asia, the Caribbean region, Africa and Australia are evident for such consequence [1,12,13]. The 1993 Mississippi River Valley floods caused losses that exceeded \$ 23 billion [14]. Moreover, wild fires and floods cause losses in natural resources of flora and fauna by decreasing the natural biodiversity [13].

Decreasing the air visibility

When chemtrails reach the troposphere, the suspended chemical particles in the air decreased both horizontal and vertical visibility causing problems to ground as well as to flight and marine traffic [2-4,12,13].

Creation of extreme heat waves

Reaching the troposphere, the Welsbach aluminum oxide particles become like a double-sided mirror reflecting the heat coming down from the sun back into outer space; meanwhile, it reflects the heat coming up from the earth by human activities (cars, airplanes, traffic, industry, petroleum power stations, air condition equipments, etc.) back again to the earth causing unusual extreme heat waves killing thousands of humans as happened in 2003 in France and 2008 in Greece [9,12]. Not only is this direct visible impact on humans, but it has also devastating effect to most plants and animal species specially those inhabiting the tropics which are adapted to a nearly stable temperature around the year [13,14].

Health problems

Due to inhalation of the aluminum oxide that turned into hydroxide on the humid binding tissues in eyes, nose, throat and chest, irritation takes place in form of allergic reactions to large numbers of people especially to infants and aged persons. Other diseases are reported in relation to these chemicals of the sprayed chemtrails [1] such as:

- Pneumonia-like respiratory symptoms
- Frequent headaches
- Sinus congestion
- Asthma

- Various allergic reactions
- Inflammation of binding tissues
- Metal confusion
- Depression
- Unknown ear infections
- Stomachaches
- Temporary loss of memory
- Different Alzheimer syndromes,

All symptoms were found associated with high levels of aluminum and barium in the bodies of the patients.

Increasing rates of human mortality:

A relationship was found by American scientists between air visibility and human mortality rates that were published by the American Heart Association (AHA) in 2004 [16,17]. Mortality increased mostly among aged persons and infants by 25% when the horizontal air visibility decreased to 2.8 miles (Figure 7).



Figure 7: Mortality rates in humans increased as function of the decrease in horizontal air visibility caused by chemtrails dust in USA. (source: American Heart Association AHA, June 1, 2004 [18]).

Guiding the Nanobacteria from the stratosphere to earth

The stratospheric Nanobacteria are now proved to be pathogenic living form or a species (*N. sanguineum*), causing different calcification diseases, e.g., gallbladder and kidney stones, arteriosclerosis, calcification of heart valves and tooth plague as discovered by Kajander and Çiftçioglu [5], who were nominated to the Nobel Prize in 1998 for this discovery. In 2003, NASA collected air samples from the chemtrails sprayed in the stratosphere for analysis and found

the Nanobacteria on the chemical particles. Thus, the Nanobacteria are carried to earth on the aluminum and barium oxides particles of chemtrails [19] which settle down either by gravity or by rains increasing the risk of infection with calcification diseases to human and animals [20].

From the time the chemtrail technology is globally in application, it created severe altering in the weather all over the planet causing an increase in the frequency, duration and intensity of extreme weather events such as droughts, hurricanes, tornadoes, floods, heavy snow falls, lightning, forest wild fires, and extreme heat waves. Such weather altering will definitely pose impacts on the different ecosystems at the global level leading to losses in biodiversity and other natural resources, e.g., forests and water, and consequently on food production as well as on human health.

Conclusion

The global project applying chemtrails as a solution to decrease the global warming (from 2000 to 2050) launched great hazards to the environment, agriculture, animal and human health. This chemtrail technology is in fact an aerosolized pollutant to the entire planet "mother earth" with great hazards, e.g., interference with clouds forming raindrop nucleation leading to more rains and extreme flash floods. It also warms the atmosphere and limits loss of heat from the Earth leading to extreme heat waves (killer heat waves). Accordingly, it creates an artificial increase or decrease in air pressure leading to creation of new wind directions, hurricanes, tornadoes, floods, heavy snow falls, lightning and forest wild fires. Furthermore, its component the aluminum oxide has adverse consequences causing drought with devastating effects on agriculture and, of course, on most living organisms. The hazard to human, flora and fauna comes not only from deliberately decreased rainfall or drought, but from the extremely toxic components of the chemtrails widely sprayed in the global atmosphere.

Bibliography

1. Stetter G. Die Zerstörung des Himmels - Globales Chemie-Verbrechen in der Atmosphäre, Raum and Zeit, (2004).
2. Carnicom C. "Visibility standards changed" (2001a).
3. Carnicom C. "Air Quality Data Requires Public Security" (2001b).
4. Carnicom C. "The Theft of Sunlight" (2003).
5. Kajander EO and Çiftçioglu N. "The calcifying Nanobacterium sanguineum gen. and sp. nov. causing gallbladder and kidney stones". National Academy of Sciences (1989).
6. Haragan DR. "Precipitation augmentation: problems and progress". *Journal of the American Water Resources Association* 10.3 (1974): 547-554.
7. Ray J. A summary of the 1999 Rain Enhancement Program and review of the area rain fall. Colorado River Municipal Water District Report (1999): 99-101
8. Shang D and CHII IF. "Stratospheric Welsbach seeding for reduction of the global warming" (1991).
9. El-Husseini MM. "Latest locust invasion in Egypt in relation to new wind directions caused by applications of chemtrails of the Shield Project for decreasing Global Warming". National Symposium on Recent Locust Invasions in Egypt, Dokki, Giza, Egypt, (2004): 24.
10. DON CROFT A. "Talks about Chmetrails: in "Where Are We?" (2003).
11. Hoffman R. "Controlling the global weather". BAMS, American Meteorological Society (2002).
12. El-Husseini MM. "New Geoengineering technology for decreasing global warming induced climate change and transported Nanobacteria from the stratosphere to earth increasing risk of infection with calcification diseases in humans and animals". The 5th International Conference on Future Horizon of Sustainable Environmental Development and Facing Challenges in Arab Countries, Cairo and Sharm El-Sheikh, Egypt (2008a).
13. El-Husseini MM. "Challenges to pest control and agricultural production under acquisitions and risks of modern technologies for weather engineering combating the climate change". *Egyptian Journal of Agricultural Research* 86.3 (2008b): 913-925.
14. Rosenzweig C., et al. "Climate change and US agriculture: The impacts of warming and extreme weather events on productivity, plant diseases and pests". Published by Center for Health and the Global Environment, Harvard Medical School, 260 Longwood Avenue, Room 262A, MA 02115 (2008).
15. Herndon J Marvin. "Adverse agricultural sequences of weather modification. *AGRIVITA Journal of Agricultural Science* 38.3 (2017): 213-221.

16. Laden F, *et al.* "Association of fine particulate matter from different sources with daily mortality in six US cities". *Environmental Health Perspective* 108.10 (2000): 641-947.
17. Clifford EC. "Mortality requires experimentation" (2004a).
18. American Heart Association, Air Pollution, Scientific Statement: Heart Disease and Stroke (2004).
19. Clifford EC. "Barium Tests are Positive" (2004b).
20. El-Husseini MM. "On discovery of the calcifying Nanobacterium sanguineum gen. and sp.nov. causing gallbladder and kidney stones". The International Congress of Pediatric Hepatology, Gastroenterology and Nutrition. Sharm El-Sheikh, Egypt, (2007).

Volume 3 Issue 7 July 2019

© All rights are reserved by Monir MM El Husseini.